ELSEVIER

Materials Science and Engineering A201 (1995) v–vi

MATERIALS
SCIENCE &
ENGINEERING
A

Contents

History effects in metals during constant and variable amplitude testing. I. Wavy dislocation glide behaviour 1
H.-J. Christ, G. Hoffmann and O. Öttinger (Erlangen, Germany)

Microstructural changes during creep of an SiC/Al_2O_3 composite 13
J.C. Romero, R.J. Arsenault and R.F. Krause, Jr. (Gaithersburg, MD, USA)

The enhanced work hardening rates of the constituent TiAl and Ti_3Al phases in a lamellar microstructure 24
M.F. Bartholomeusz, M.A. Cantrell and J.A. Wert (Charlottesville, VA, USA)

Cyclic behaviour of a 316L stainless steel hardened by an explosive treatment 32
L. Fouilland-Paillé, M. Gerland and P. Violan (Futuroscope cedex, France)

Impression test of 63Sn–37Pb eutectic alloy 40
F. Yang and J.C.M. Li (Rochester, NY, USA)

Computer simulation of impression creep using the hyperbolic sine stress law 50
F. Yang, J.C.M. Li and C.W. Shih (Rochester, NY, USA)

Patterns of serrated flow in a low-carbon steel 58
E. Pink and S. Kumar (Leoben, Austria)

Cyclic stress—strain response and strain localization of polycrystalline Cu tested under stress-control and different start-up procedures 65
B. Weiss, S. Kong, R. Stickler (Vienna, Austria), L. Kunz and P. Lukas (Brno, Czech Republic)

Mechanical behaviour and failure mechanisms of a binary Mg–6%Zn alloy reinforced with SiC particulates 77
A. Martín and J. LLorca (Madrid, Spain)

Mechanical properties and microstructure of cast oxide-dispersion-strengthened aluminum 88
A.M. Redsten (Cambridge, MA, USA), E.M. Klier, A.M. Brown (New Castle, DE, USA) and D.C. Dunand (Cambridge, MA, USA)

Two-dimensional sections of the yield locus of a Ti—6%Al—4%V alloy with a strong transverse-type crystallographic α-texture 103
J.A. Medina Perilla and J. Gil Sevillano (San Sebastían, Spain)

Effect of Cu concentration on the high-temperature creep behavior of Al–Cu solid solution alloys 111
M.S. Soliman (Riyadh, Saudi Arabia)

High-temperature deformation in a superplastic 7475 Al alloy with a relatively large grain size 118
D.H. Shin (Kyunggi Do, South Korea), K.-T. Park (Kyungsangbuk Do, South Korea) and E.J. Lavernia (Irvine, CA, USA)

Effect of cyclic loading superposition in the primary creep stage on the strain and fracture behaviour of 16Cr–10W–4Mo–TiAl nickel-base alloy 127
V. Šustek, M. Pahutová and J. Čadek (Brno, Czech Republic)

Use of finite element modeling to interpret diffraction peak broadening from elastic strain distributions 134
C.M. Weisbrook, V.S. Gopalaratnam and A.D. Krawitz (Columbia, MO, USA)

The effect of small stresses on the kinetics of the bainite transformation 143
P.H. Shipway (Nottingham, UK) and H.K.D.H. Bhadeshia (Cambridge, UK)

Effect of shock pressure and plastic strain on chemical reactions in Nb–Si and Mo–Si systems 150
M.A. Meyers, S.S. Batsanov, S.M. Gavrilkin, H.C. Chen, J.C. LaSalvia and F.D.S. Marquis (La Jolla, CA, USA)

Interfacial properties of SiC monofilament reinforced β'-SiAlON composites 159
C.M. Huang, D. Zhua, Y. Xu, T. Mackin and W.M. Kriven (Urbana, IL, USA)

Microstructure and phase morphology during thermochemical processing of α_2-based titanium aluminide castings 169
M. Saqib, L.S. Apgar, D. Eylon and I. Weiss (Dayton, OH, USA)

Optimizing the properties of TiAl sheet material for application in heat protection shields or propulsion systems 182
C. Koeppe, A. Bartels (Hamburg, Germany), H. Clemens, P. Schretter and W. Glatz (Tirol, Austria)

Computer simulation of martensitic transformation in Fe–Ni face-centered cubic alloys 194
M. Grujicic and P. Dang (Clemson, SC, USA)

An evaluation of steady state creep mechanism in an Al–Mg/26 Al_2O_{3f} composite 205
R.S. Mishra (Davis, CA, USA), A.B. Pandey (Hyderabad, India) and A.K. Mukherjee (Davis, CA, USA)

Stresses in NiO, Cr_2O_3 and Al_2O_3 oxide scales 211
A.M. Huntz (Orsay Cedex, France)

An evaluation of the properties of Cr_3Si alloyed with Mo 229
S.V. Raj (Cleveland, OH, USA)

Strains generated at austenitic:ferritic dissimilar welds during elastic pressure changes at high temperature 242
J.A. Williams (Loughborough, UK) and J.D. Parker (Swansea, UK)

A calorimetric and metallographic study of precipitation process in AA6061 and its composites 251
Y. Song and T.N. Baker (Glasgow, UK)

Effects of in-situ alloying and microalloying on the microstructure and recrystallization behavior of spray-deposited SAE 1008 steel sheet 261
C.-Y.A. Tsao (Tainan, Taiwan) and N.J. Grant (Cambridge, MA, USA)

Thermal residual stresses in a Functionally Graded Material System. 269
K.S. Ravichandran (Dayton, OH, USA)

Surface characterization of SiC composites exposed to deuterium ions, using atomic force microscopy 277
N. Almqvist (Luleå, Sweden), M. Rubel (Stockholm, Sweden) and E. Franconi (Rome, Italy)

LETTERS

Thermal stability of nanostructured materials Ti, Ti_xN, Mo and Mo_2N L1
Y. Zhu and M. Tan (Anhui, People's Republic of China)

Laser surface alloying of Incoloy 800H with silicon carbide: microstructural aspects L5
S.M. Zhu, L. Wang, G.B. Li (Dalian, People's Republic of China) and S.C. Tjong (Kowloon, Hong Kong)

Mechanical behaviour of two-phase materials investigated by the finite element method: necessity of three-dimensional modeling L8
T. Iung and M. Grange (Maizières-les-Metz, France)

ERRATUM 287

AUTHOR INDEX 289

SUBJECT INDEX 291